



Northparkes Mines
 PO Box 995 Parkes NSW 2870 Australia
 T +61 2 6861 3000 F +61 2 6861 3101

www.northparkes.com

Sampled: 6/12/2019
Obtained: 20/12/2019
Published: 6/01/2020

Licensee: Sumitomo Metal Mining Oceana P/L
 CMOC Mining Pty Ltd
 SC Mineral Resources Pty Ltd
EPL No.: 4784

EPA Identification no.	Monitoring Frequency	Pollutant	Measurement	Unit	Comments
1 (W14)	Quarterly	Conductivity Copper pH	7755 0.003 7.35	µS/cm mg/L	<p>The Q4 2019 water monitoring results for W14 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+345µS/cm) from last quarter which recorded 7410µS/cm - Copper concentration decreased (-0.007mg/L) from the previous reporting period, recording 0.01mg/L. - pH increased (+0.09) from last quarter which was 7.26. - Relative standing water level increased (+12cm) from the previous quarter which was 264.74m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>
		Standing Water Level	264.86	m	
2 (W19)	Quarterly	Conductivity Copper pH	5799 0.012 7.57	µS/cm mg/L	<p>The Q4 2019 water monitoring results for W19 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity decreased (-1641µS/cm) from last quarter which recorded 7440µS/cm. - Copper concentration decreased (-0.002mg/L) from the previous reporting period, recording 0.014mg/L. - pH also decreased (-0.13) from last quarter which was 7.70. - Relative standing water level increased (+11cm) from previous quarter which was 246.92m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>
		Standing Water Level	247.03	m	

EPA Identification no.	Monitoring Frequency	Pollutant	Measurement	Unit	Comments
3 (W21)	Quarterly	Conductivity Copper pH Standing Water Level	13746 0.004 10.97 268.59	µS/cm mg/L m	<p>The Q4 2019 water monitoring results for W21 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+1214µS/cm) from last quarter which recorded 12532µS/cm. - Copper concentration slightly decreased (-0.002mg/L) from the last reporting period, which recorded 0.006 mg/L. - pH recorded a 0.17 increase from last quarter which was 10.8. - Relative standing water level increased (+9cm) from previous quarter which was 268.5m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>
4 (W23)	Quarterly	Conductivity Copper pH Standing Water Level	18516 0.013 6.95 259.53	µS/cm mg/L m	<p>The Q4 2019 water monitoring results for W23 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+1669µS/cm) from the last quarter which recorded 16847µS/cm. - Copper concentration slightly increased (+0.002mg/L) from the last reporting period, which was 0.011 mg/L. - pH recorded a slight increase (+0.05) from last quarter which was 6.9. - Relative standing water level increased (+10cm) from the previous quarter which was 259.43m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>
5 (W25)	Quarterly	Conductivity Copper pH Standing Water Level	1369 0.011 8.19 279.86	µS/cm mg/L m	<p>The Q4 2019 water monitoring results for W25 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity decreased (-273µS/cm) from last quarter which recorded 1642µS/cm. - Copper concentration decreased (-0.004mg/L) from the last reporting period, which was 0.015mg/L. - pH also recorded a slight decrease (-0.13) from last quarter which was 8.32. - Relative standing water level decreased (-55cm) from previous quarter which was 280.41m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>

EPA Identification no.	Monitoring Frequency	Pollutant	Measurement	Unit	Comments
6 (W20)	Quarterly	Conductivity Copper pH	13483 0.005 7.14	µS/cm mg/L	<p>The Q4 2019 water monitoring results for W20 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+898µS/cm) from last quarter which recorded 12585µS/cm. - Copper concentration decreased slightly (-0.003mg/L) from the last reporting period, which was 0.008 mg/L. - pH also recorded a slight decrease (-0.06) from last quarter which was 7.2.
		Standing Water Level	266.45	m	