



Northparkes Mines
 PO Box 995 Parkes NSW 2870 Australia
 T +61 2 6861 3000 F +61 2 6861 3101

www.northparkes.com

Sampled: 21-Sep-20
Obtained: 7-Oct-20
Published: 20-Oct-20

Licensee: Sumitomo Metal Mining Oceana P/L
 CMOC Mining Pty Ltd
 SC Mineral Resources Pty Ltd
EPL No.: 4784

EPA Identification no.	Monitoring Frequency	Pollutant	Measurement	Unit	Comments
1 (W14)	Quarterly	Conductivity Copper pH Standing Water Level	7,577 0.01 7.36 265.87	$\mu\text{S/cm}$ mg/L m	<p>The Q3 2020 water monitoring results for W14 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity decreased (-225 $\mu\text{S/cm}$) from last quarter which recorded 7352 $\mu\text{S/cm}$ - Copper concentration increased (+0.006 mg/L) from the previous reporting period, recording 0.004mg/L. - pH decreased slightly (-0.20) from last quarter which was 7.56. - Relative standing water level increased (+44cm) from the previous quarter which was 265.43m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>
2 (W19)	Quarterly	Conductivity Copper pH Standing Water Level	6,151 0.013 7.57 249.03	$\mu\text{S/cm}$ mg/L m	<p>The Q3 2020 water monitoring results for W19 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+152 $\mu\text{S/cm}$) from last quarter which recorded 5999 $\mu\text{S/cm}$. - Copper concentration increased (+0.002mg/L) from the previous reporting period, recording 0.011mg/L. - pH decreased (-0.38) from last quarter which was 7.95. - Relative standing water level increased (+46cm) from previous quarter which was 248.57m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>

EPA Identification no.	Monitoring Frequency	Pollutant	Measurement	Unit	Comments
3 (W21)	Quarterly	Conductivity Copper pH Standing Water Level	14,251 0.005 7.85 268.52	$\mu\text{S/cm}$ mg/L m	<p>The Q3 2020 water monitoring results for W21 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+638$\mu\text{S/cm}$) from last quarter which recorded 13,613 $\mu\text{S/cm}$. - Copper concentration increased (+0.002mg/L) from the last reporting period, which recorded 0.003 mg/L. - pH recorded a 1.96 decrease from last quarter which was 9.81. - Relative standing water level decreased (-0.05cm) from previous quarter which was 268.57m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>
4 (W23)	Quarterly	Conductivity Copper pH Standing Water Level	18,479 0.012 6.93 260.34	$\mu\text{S/cm}$ mg/L m	<p>The Q3 2020 water monitoring results for W23 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+437$\mu\text{S/cm}$) from the last quarter which recorded 18042$\mu\text{S/cm}$. - Copper concentration slightly decreased (-0.001mg/L) from the last reporting period, which was 0.013 mg/L. - pH recorded a decrease (-0.42) from last quarter which was 7.35. - Relative standing water level increased (+30cm) from the previous quarter which was 260.04m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>
5 (W25)	Quarterly	Conductivity Copper pH Standing Water Level	1,841 0.011 8.21 284.08	$\mu\text{S/cm}$ mg/L m	<p>The Q3 2020 water monitoring results for W25 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+24$\mu\text{S/cm}$) from last quarter which recorded 1,817$\mu\text{S/cm}$. - Copper concentration decreased (-0.002mg/L) from the last reporting period, which was 0.013mg/L. - pH recorded a an increase (+0.31) from last quarter which was 7.90. - Relative standing water level increased (+27cm) from previous quarter which was 283.81m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>

EPA Identification no.	Monitoring Frequency	Pollutant	Measurement	Unit	Comments
6 (W20)	Quarterly	Conductivity Copper pH	13,788 0.004 7.05	$\mu\text{S/cm}$ mg/L	<p>The Q3 2020 water monitoring results for W20 bore are in line with historical water quality results.</p> <ul style="list-style-type: none"> - Conductivity increased (+558$\mu\text{S/cm}$) from last quarter which recorded 13,230$\mu\text{S/cm}$. - Copper concentration decreased (-0.01mg/L) from the last reporting period, which was 0.0014 mg/L. - pH recorded a slight decrease (-0.37) from last quarter which was 7.42. - Relative standing water level also slightly increased (+29cm) from the previous quarter which was 266.54m. <p>These minor variances are typically the result of natural groundwater migrations and are homogenous with previous reporting periods.</p>
		Standing Water Level	266.83	m	