

Noise Monitoring Assessment

Northparkes Mines

Quarter 3, 2022



Document Information

Noise Monitoring Assessment

Northparkes Mines

Quarter 3, 2022

Prepared for: CMOC Mining Services Pty Limited

PO Box 995

Parkes NSW 2870



Prepared by: Muller Acoustic Consulting Pty Ltd

PO Box 678, Kotara NSW 2289

ABN: 36 602 225 132

P: +61 2 4920 1833

www.mulleracoustic.com

Document ID	Date	Prepared By	Signed	Reviewed By	Signed
MAC190810RP14	16 August 2022	Kristian Allen		Rod Linnett	

DISCLAIMER

All documents produced by Muller Acoustic Consulting Pty Ltd (MAC) are prepared for a particular client's requirements and are based on a specific scope, circumstances and limitations derived between MAC and the client. Information and/or report(s) prepared by MAC may not be suitable for uses other than the original intended objective. No parties other than the client should use or reproduce any information and/or report(s) without obtaining permission from MAC. Any information and/or documents prepared by MAC is not to be reproduced, presented, or reviewed except in full.

CONTENTS

1	INTRODUCTION.....	5
2	NOISE CRITERIA.....	6
2.1	OPERATIONAL NOISE CRITERIA.....	6
3	ASSESSMENT METHODOLOGY	7
3.1	OPERATIONAL NOISE MEASUREMENT METHODOLOGY.....	7
4	RESULTS	9
4.1	OPERATIONAL NOISE RESULTS	9
4.2	ROAD NOISE RESULTS.....	14
4.3	UNATTENDED NOISE RESULTS	15
5	DISCUSSION	16
5.1	OPERATIONAL NOISE DISCUSSION.....	16
5.1.1	DISCUSSION OF RESULTS – LOCATION NM1, HUBBERSTONE	16
5.1.2	DISCUSSION OF RESULTS – LOCATION NM2, LONE PINE	16
5.1.3	DISCUSSION OF RESULTS – LOCATION NM3, MILPOSE.....	16
5.1.4	DISCUSSION OF RESULTS – LOCATION NM4, HILLVIEW.....	17
5.1.5	DISCUSSION OF RESULTS –LOCATION NM5, ADAVALE.....	17
6	CONCLUSION.....	18
APPENDIX A – GLOSSARY OF TERMS		
APPENDIX B – REGULATORY NOISE LIMITS		
APPENDIX C – UNATTENDED MONITORING CHARTS		

This page has been intentionally left blank

1 Introduction

Muller Acoustic Consulting Pty Ltd (MAC) has been commissioned by CMOC Mining Services Pty Limited (CMOC) to complete a Noise Monitoring Assessment (NMA) for Northparkes Mines (Northparkes), 27km North West of Parkes, NSW. The NMA has been completed to quantify operational noise emissions as per Conditions 1 to 5 of Schedule 3 of the Project Approval Conditions (PA11_110060) and the Northparkes Noise Management Plan (NMP, 2019).

The assessment has been conducted in accordance with the following documents:

- NSW Environment Protection Authority (EPA) 2017, Noise Policy for Industry (NPI); and
- Australian Standard AS 1055:2018 - Acoustics - Description and measurement of environmental noise - General Procedures.

A glossary of terms, definitions and abbreviations used in this report is provided in **Appendix A**.

2 Noise Criteria

2.1 Operational Noise Criteria

This assessment has adopted criteria as per Conditions 1 to 5 of Schedule 3 of the Development Consent Conditions (PA11_110060) and the Northparkes Noise Management Plan (Northparkes, 2019) (see **Appendix B**) and is summarised below in **Table 1**.

Table 1 Noise Criteria				
Location	Day	Evening	Night	
	dB LAeq(15min)	dB LAeq(15min)	dB LAeq(15min)	dB LA1(1min)
All privately-owned land	35	35	35	45

Additionally, the conditions state:

Operational Noise generated by the project will be measured in accordance with the relevant requirements of the NSW Industrial Noise Policy.

These limits apply under all meteorological conditions except the following:

- *during periods of rain or hail;*
- *average wind speeds at microphone height exceeds 5 m/s;*
- *wind speeds greater than 3 m/s at 10 metres above ground level; or*
- *temperature inversion conditions of up to 3 °C/100m or alternatively a stability class of G.*

Except for wind speed at the microphone height, the data to be used for determining meteorological conditions will be that recorded by the meteorological station located onsite. Operational noise generated by the project is to be measured in accordance with the relevant requirements of the NSW Industrial Noise Policy. Appendix 5 sets out the meteorological conditions under which these criteria apply, and the requirements for evaluating compliance with these criteria.

These limits do not apply if NPM have an agreement with the relevant owner/s of the residences or land to generate higher noise levels, and NPM has advised the Department in writing of the terms of the agreement.

3 Assessment Methodology

All attended noise monitoring surveys for this assessment were conducted in general accordance with the procedures described in Australian Standard AS 1055:2018, “Acoustics - Description and Measurement of Environmental Noise” and the NMP.

The acoustic instrumentation used carries appropriate and current NATA (or manufacturer) calibration certificates and complies with AS/NZS IEC 61672.1-2019-Electroacoustics - Sound level meters - Specifications. Calibration of all instrumentation was checked prior to and following measurements. Drift in calibration did not exceed ± 0.5 dBA.

3.1 Operational Noise Measurement Methodology

The locality surrounding the mine is primarily rural/residential. In accordance with the NMP, five representative receivers were selected for this assessment and are presented in **Table 2**.

Table 2 Noise Monitoring Locations

ID	Location	Coordinate Locations, MGA55	
		Easting (m)	Northing (m)
NM1	Hubberstone	600687	6360754
NM2	Lone Pine	593669	6358933
NM3	Milpose	594827	6352971
NM4	Hillview	602993	6353469
NM5	Adavale	593568	6356920

Note: NM5 is an additional monitoring initiative by NPM.

Monitoring locations with respect to the mine site are shown visually in **Figure 1**.


Measurements were carried out using a Svantek Type 1, 971 noise analyser from Tuesday 27 July 2022 to Wednesday 28 July 2022. The monitoring regime consisted of three 15-minute measurements during the daytime, evening and night-time periods at each monitoring location. Throughout each survey, the operator quantified the contribution of significant noise sources where possible.



FIGURE 1
Locality Plan
MAC190810
Northparkes Mine

KEY

● Monitoring Locations



4 Results

4.1 Operational Noise Results

The monitoring assessment results for each location are presented in **Table 3** to **Table 7**. Each table contains results for each of the three 15-minute measurements for daytime, evening and night-time periods for each location including wind direction, wind speed and atmospheric stability class.

Table 3 Operator-Attended Noise Survey Results – Location NM1, Hubberstone

Date/Time (hrs)	Noise Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
Duration 15min	L _A max	L _A eq	L _A 90		
Day					
27/07/2022	61	44	36	WD: SW WS: 1.0m/s Stab Class: E	Wind 27-48
16:57					Birds 25-61
					Livestock 25-51
27/07/2022	61	43	33		Traffic 25-51
17:12					Residential Noise 30-56
				NPM – Processing 25-35	
27/07/2022	66	45	30		(barely audible <50% measurement)
17:27					
Site L _A eq(15min) Contribution					<30
Evening					
26/07/2022	57	40	34	WD: W WS: 1.5m/s Stab Class: D	Wind 31-57
20:06					Insects 30-46
					Livestock 30-43
26/07/2022	49	38	33		NPM – Site Hum <30
20:21					(barely to just audible throughout)
26/07/2022	53	38	33		
20:36					
Site L _A eq(15min) Contribution					<30
Night					
26/07/2022	46	37	34	WD: W WS: 1.5m/s Stab Class: D	Wind 32-54
23:00					Livestock 30-40
					Aircraft 30-43
26/07/2022	47	38	36		NPM – Processing 30-39
23:15					(just audible to audible throughout)
26/07/2022	54	39	37		
23:30					
Site L _A eq(15min) Contribution					<35
Site L _A 1(1min) Contribution					<40

Note: NPM denotes Northparkes Mines.

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

Table 4 Operator-Attended Noise Survey Results – Location NM2, Lone Pine

Date/Time (hrs)	Noise Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
Duration 15min	L _A max	L _A eq	L _A 90		
Day					
27/07/2022	61	45	39	WD: SW WS: 1.5m/s Stab Class: D	Wind 32-55
15:56					Birds 30-62
27/07/2022	56	43	36		Traffic 40-61
16:11					Livestock 30-40
27/07/2022	62	43	35		Dogs Barking 30-44
16:26					NPM Inaudible
Site L _A eq(15min) Contribution					<35
Evening					
26/07/2022	64	46	42	WD: W WS: 1.5m/s Stab Class: E	Wind 36-58
21:06					Dogs Barking <40
26/07/2022	58	45	40		Traffic 37-64
21:21					Aircraft 35-56
26/07/2022	55	41	37		Insects <35
21:36					NPM Inaudible
Site L _A eq(15min) Contribution					<35
Night					
26/07/2022	49	37	33	WD: W WS: 1.0m/s Stab Class: D	Wind 20-49
22:00					Aircraft 25-46
26/07/2022	58	34	30		Dog Barking 20-43
22:15					MAC Operator 58
26/07/2022	43	28	22		NPM Inaudible
22:30					
Site L _A eq(15min) Contribution					<30
Site L _A 1(1min) Contribution					<40

Note: NPM denotes Northparkes Mines.

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

Table 5 Operator-Attended Noise Survey Results – Location NM3, Milpose

Date/Time (hrs)	Noise Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
Duration 15min	L _A max	L _A eq	L _A 90		
Day					
27/07/2022 13:59	62	43	34	WD: SW WS: 2.0m/s Stab Class: D	Wind 28-62 Birds 25-43 MAC Operator 73
27/07/2022 14:14	73	44	35		NPM Inaudible
27/07/2022 14:14	53	35	30		
Site L _A eq(15min) Contribution					<30
Evening					
27/07/2022 19:16	51	38	33	WD: SW WS: 0.5m/s Stab Class: D	Insects 25-51 Dogs Barking 30-51
27/07/2022 19:31	46	39	34		NPM Inaudible
27/07/2022 19:46	51	37	30		
Site L _A eq(15min) Contribution					<30
Night					
27/07/2022 02:00	45	30	23	WD: SW WS: 1.0m/s Stab Class: E	Wind 20-46 Dogs Barking 20-25
27/07/2022 02:15	46	31	22		NPM Inaudible
27/07/2022 02:30	42	30	23		
Site L _A eq(15min) Contribution					<30
Site L _A 1(1min) Contribution					<40

Note: NPM denotes Northparkes Mines.

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

Table 6 Operator-Attended Noise Survey Results – Location NM4, Hillview

Date/Time (hrs)	Noise Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
Duration 15min	LAmax	LAeq	LA90		
27/07/2022 12:44	67	50	44	WD: SW WS: 2.0m/s Stab Class: D	Wind 38-61
27/07/2022 12:59	65	48	42		Birds 35-46
27/07/2022 13:14	59	47	43		Traffic 35-67
					NPM Inaudible
Site LAeq(15min) Contribution					<35
Evening					
27/07/2022 18:00	63	49	36	WD: W WS: 0.5m/s Stab Class: E	Traffic 23-61
27/07/2022 18:15	60	47	38		Residential Noise 30-63
27/07/2022 18:30	59	42	25		Livestock 30-36
					NPM Inaudible
Site LAeq(15min) Contribution					<35
Night					
27/07/2022 23:56	44	32	28	WD: W WS: 0.5m/s Stab Class: D	Wind 26-41
27/07/2022 00:11	67	43	29		Livestock 25-37
27/07/2022 00:26	42	30	28		Traffic 25-44
					Residential Noise 30-67
Site LAeq(15min) Contribution					<30
Site LA1(1min) Contribution					<40

Note: NPM denotes Northparkes Mines.

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

Table 7 Operator-Attended Noise Survey Results – Location NM5, Adavale

Date/Time (hrs)	Noise Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
Duration 15min	L _A max	L _A eq	L _A 90		
Day					
27/07/2022 14:57	61	48	43	WD: S	Wind 40-62
27/07/2022 15:12				58	46
27/07/2022 14:27	62	49	42	Stab Class: D	NPM Inaudible
Site L _A eq(15min) Contribution					<35
Evening					
27/07/2022 20:15	40	28	14	WD: SW	Birds 20-40
27/07/2022 20:30					48
27/07/2022 20:45	35	19	14	Stab Class: E	Agricultural Noise 20-34
					MAC Operator Noise 48
					NPM Inaudible
Site L _A eq(15min) Contribution					<30
Night					
27/07/2022 01:01	49	38	33	WD: SW	Wind 30-49
27/07/2022 01:16					46
27/07/2022 01:31	48	37	34	Stab Class: D	
Site L _A eq(15min) Contribution					<30
Site L _A 1(1min) Contribution					<40

Note: NPM denotes Northparkes Mines.

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

4.2 Road Noise Results

As an additional initiative to operational attended noise monitoring, Northparkes include two 1-hour attended noise monitoring measurements at the Hillview monitoring location (NM4) to quantify Northparkes road noise levels associated concentrate trucks movements (where present) and shift change traffic flows. **Table 8** presents the results of the road traffic noise measurements with a comparison against the road noise criteria outlined in the NMP which is consistent with the NSW Road Noise Policy (DECCW, 2011).

Table 8 Operator-Attended Road Noise Survey Results – Location NM4, Hillview

Date/Time (hrs)	Measured Noise Level	Meteorology	Criteria	Description and SPL dBA
Duration 1 hour	dB LAeq(1hr)		dB LAeq(1hr)	
27/07/2022 12:44 (Day)	48	WD: SW WS: 1.5m/s Stab Class: D	55	Wind 38-61
				Birds 35-46
				Traffic 35-67
				NPM Concentrate Truck (offsite) 35-62 (2 passes)
				(Approx. 19 vehicles Enter/Exit NPM Site)
27/07/2022 18:00 (Evening)	47	WD: W WS: 0.5m/s Stab Class: E	55	Traffic 23-65
				Residential Noise 30-63
				Livestock 30-36
				NPM Concentrate Truck (offsite) 35-63 (2 passes)
				(Approx. 72 vehicles Enter/Exit NPM Site)

Note: NPM denotes Northparkes Mines.

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

Results of the road noise survey identify that the LAeq(1hr) noise contribution at NM4 is <50dBA for both measurements and hence, satisfy the relevant road noise criteria as outlined in the NMP and the RNP. Observations from MAC operator identified concentrate truck movements during all three measurements periods, at a maximum of two movements per hour, which is in line with previous NPM quarterly measurements.

4.3 Unattended Noise Results

Unattended noise monitors are installed at four attended monitoring locations. Data from the unattended monitors provide a real time method for monitoring noise events, although it is noted that the results include all noise sources (ie project noise and extraneous noise sources). The results are used as a management tool for the project site.

Averaged results of the LAeq(15min) and LA1(1min) metrics from the seven day monitoring period from Friday 22 July 2022 to Thursday 28 July 2022 for NM1, NM2, NM3 and NM4 are summarised in **Table 9**. **Appendix C** presents the unattended results in chart format.

Table 9 Unattended Noise Survey Results

Period ¹	Noise Descriptor (dBA re 20 µPa)	
	Weekly Average LAeq(15min)	Weekly Average LA1(1min) ²
Location NM1, Hubberstone		
Day	52	-
Evening	37	-
Night	40	65
Location NM2, Lone Pine		
Day	48	-
Evening	38	-
Night	39	64
Location NM3, Milpose		
Day	50	-
Evening	46	-
Night	44	60
Location NM4, Hillview		
Day	54	-
Evening	45	-
Night	46	65

Note 1: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

Note 2: Arithmetic average.

5 Discussion

5.1 Operational Noise Discussion

5.1.1 Discussion of Results – Location NM1, Hubberstone

Attended measurement results for monitoring conducted at NM1, Hubberstone, for the quarter ending September 2022 noise survey identified that NPM was generally just audible during day, evening and night time measurements.

Contributions from NPM were characterised as processing noise and site hum. External noise sources including, livestock, traffic, birds, insects, wind in trees and residential noise were audible during the monitoring period.

In summary, the noise contribution from NPM satisfied the relevant noise criteria for all monitored assessment periods at Location NM1.

5.1.2 Discussion of Results – Location NM2, Lone Pine

Attended measurement results for monitoring conducted at NM2, Lone Pine, for the quarter ending September 2022 noise survey identified that NPM was inaudible during day, evening and night time measurements.

External noise sources including, traffic, dogs barking, livestock, aircraft, birds, insects, and wind in trees were all audible during the monitoring periods.

In summary, the noise contribution from NPM satisfied the relevant noise criteria for all monitored assessment periods at Location NM2.

5.1.3 Discussion of Results – Location NM3, Milpose

Attended measurement results for monitoring conducted at NM3, Milpose, for the quarter ending September 2022 noise survey identified that NPM was inaudible during the day, evening and night time measurements.

External noise sources including, wind in tress, birds, dogs barking, insects and MAC operator noise were all audible during the monitoring periods.

In summary, the noise contribution from NPM satisfied the relevant noise criteria for all monitored assessment periods at Location NM3.

5.1.4 Discussion of Results – Location NM4, Hillview

Attended measurement results for monitoring conducted at NM4, Hillview, for the quarter ending September 2022 noise survey identified that NPM was inaudible during day and evening measurements and just audible throughout night time measurements.

Contributions from NPM were characterised as general site hum. External noise sources including wind in trees, traffic, birds, livestock and residential noise were all audible during the monitoring period.

In summary, the noise contribution from NPM satisfied the relevant noise criteria for all monitored assessment periods at Location NM4.

5.1.5 Discussion of Results – Location NM5, Adavale

Attended measurement results for additional monitoring conducted at NM5, Adavale, for the quarter ending September 2022 noise survey indicated that NPM was inaudible during the day, evening and night time measurements.

External noise sources including, insects, birds, dogs barking, wind in trees, MAC operator noise, and agricultural noise were all audible during the monitoring period.

In summary, the noise contribution from NPM satisfied the relevant noise criteria for all monitored assessment periods at Location NM5.

6 Conclusion

Muller Acoustic Consulting Pty Ltd (MAC) has completed a Noise Monitoring Assessment (NMA) on behalf of CMOC Mining Services Pty Limited (CMOC). The assessment was completed to quantify site noise emissions against relevant noise criteria pertaining to NPM operations in accordance with Conditions 1 to 5 of Schedule 3 of the Development Consent Conditions (PA11_110060) and the Northparkes Noise Management Plan (NMP, 2019) for Quarter 3, ending September 2022.

Road noise monitoring identified that vehicle movements associated with shift change generated noise levels below the relevant road noise criteria specified in the RNP and NMP.

Attended monitoring has identified that operational emissions generated by NPM comply with relevant noise criteria at all monitoring locations for all assessment periods. Furthermore, project related noise emissions were generally just audible at two monitoring locations. NPM noise sources such as general production noise and site hum were audible and extraneous non-mining sources such as wind in trees, traffic, birds, dogs barking, aircraft, insects and residential noise were audible during the monitoring period.

Appendix A – Glossary of Terms


Table A1 provides a number of technical terms have been used in this report.

Table A1 Glossary of Terms	
Term	Description
1/3 Octave	Single octave bands divided into three parts
Octave	A division of the frequency range into bands, the upper frequency limit of each band being twice the lower frequency limit.
ABL	Assessment Background Level (ABL) is defined in the NPI as a single figure background level for each assessment period (day, evening and night). It is the tenth percentile of the measured LA90 statistical noise levels.
Adverse Weather	Weather effects that enhance noise (that is, wind and temperature inversions) that occur at a site for a significant period of time (that is, wind occurring more than 30% of the time in any assessment period in any season and/or temperature inversions occurring more than 30% of the nights in winter).
Ambient Noise	The noise associated with a given environment. Typically a composite of sounds from many sources located both near and far where no particular sound is dominant.
A Weighting	A standard weighting of the audible frequencies designed to reflect the response of the human ear to noise.
dBA	Noise is measured in units called decibels (dB). There are several scales for describing noise, the most common being the 'A-weighted' scale. This attempts to closely approximate the frequency response of the human ear.
dB(Z), dB(L)	Decibels Linear or decibels Z-weighted.
Hertz (Hz)	The measure of frequency of sound wave oscillations per second - 1 oscillation per second equals 1 hertz.
LA10	A noise level which is exceeded 10 % of the time. It is approximately equivalent to the average of maximum noise levels.
LA90	Commonly referred to as the background noise, this is the level exceeded 90 % of the time.
LAeq	The summation of noise over a selected period of time. It is the energy average noise from a source, and is the equivalent continuous sound pressure level over a given period.
LAm _{ax}	The maximum root mean squared (rms) sound pressure level received at the microphone during a measuring interval.
RBL	The Rating Background Level (RBL) is an overall single figure background level representing each assessment period over the whole monitoring period. The RBL is used to determine the intrusiveness criteria for noise assessment purposes and is the median of the ABL's.
Sound power level (LW)	<p>This is a measure of the total power radiated by a source. The sound power of a source is a fundamental location of the source and is independent of the surrounding environment. Or a measure of the energy emitted from a source as sound and is given by :</p> $= 10 \cdot \log_{10} (W/W_0)$ <p>Where : W is the sound power in watts and W₀ is the sound reference power at 10-12 watts.</p>

Table A2 provides a list of common noise sources and their typical sound level.

Table A2 Common Noise Sources and Their Typical Sound Pressure Levels (SPL), dBA	
Source	Typical Sound Level
Threshold of pain	140
Jet engine	130
Hydraulic hammer	120
Chainsaw	110
Industrial workshop	100
Lawn-mower (operator position)	90
Heavy traffic (footpath)	80
Elevated speech	70
Typical conversation	60
Ambient suburban environment	40
Ambient rural environment	30
Bedroom (night with windows closed)	20
Threshold of hearing	0

Figure A1 – Human Perception of Sound



Appendix B – Regulatory Noise Limits

Doc ID No. 3-3718	Version No. No.14	Owner PSE Manager	Next Review Date 29 Feb 20
----------------------	----------------------	----------------------	-------------------------------


Table 1 NSW Development Consent Conditions – Schedule 3

Condition						Related Section in NMP
Noise Criteria						
1. The Proponent shall ensure that the noise generated by the project does not exceed the criteria in Table 1 at any residence on privately-owned land.						Section 5.4.1
Table 2 Noise impact assessment criteria dB(A)						
Property		Day LAeq(15min)	Evening LAeq(15min)	Night LAeq(15min) LA1(1min)		
All privately-owned land		35	35	35	45	
Note: To interpret the land referred to in Table 1, see the applicable figures in Appendix 4.						
Operational noise generated by the project is to be measured in accordance with the relevant requirements of the NSW Industrial Noise Policy. Appendix 5 sets out the meteorological conditions under which these criteria apply, and the requirements for evaluating compliance with these criteria.						
2. The Proponent shall only carry out the construction works associated with the upgrade of McClintocks Lane, the construction of the McClintocks Lane access road and the upgrade of the intersection of McClintocks Lane and Bogan Road during the day.						Section 5.4.1
3. During construction of the works referred to in condition 2 of schedule 3, the noise criteria in Table 1 do not apply to the residences located in the vicinity of the works. The Proponent shall implement all reasonable and feasible measures to minimise construction noise impacts on the residences in the vicinity of these works.						Section 6
4. The Proponent shall: a) implement best management practice to minimise the construction, operational and road noise of the project; b) operate a comprehensive noise management system that uses a combination of predictive meteorological forecasting and real-time noise monitoring data to guide the day to day planning, and the implementation of both proactive and reactive noise mitigation measures to ensure compliance with the relevant conditions of this approval; c) minimise the noise impacts of the project during meteorological conditions when the noise limits in this approval do not apply (see Appendix 5); and d) carry out regular monitoring to determine whether the project is complying with the relevant conditions of this approval, To the satisfaction of the Secretary.						Section 6 & Section 7
5. The Proponent shall prepare and implement a Noise Management Plan for the project to the satisfaction of the Secretary. This plan must: a) be prepared in consultation with the EPA, and submitted to the Secretary prior to the commencement of construction; b) describe the measures that would be implemented to ensure compliance with the noise criteria and operating conditions in this approval; c) describe the proposed noise management system in detail; and d) include a monitoring program that: • evaluates and reports on: – the effectiveness of the noise management system; – compliance against the noise criteria in this approval; and – compliance against the noise operating conditions; • includes a program to calibrate and validate the real-time noise monitoring results with the attended monitoring results over time (so the real-time noise monitoring program can be used as a better indicator of compliance with the noise criteria in this approval and trigger for further attended monitoring); and • defines what constitutes a noise incident, and includes a protocol for identifying and notifying the Department and relevant stakeholders of any noise incidents						Section 6 & Section 7 <

Appendix C – Unattended Monitoring Charts


Background Noise Levels

NM1 Hubberstone - Friday 22 July 2022




Background Noise Levels

NM1 Hubberstone - Saturday 23 July 2022




Background Noise Levels

NM1 Hubberstone - Sunday 24 July 2022




Background Noise Levels

NM1 Hubberstone - Monday 25 July 2022




Background Noise Levels

NM1 Hubberstone - Tuesday 26 July 2022




Background Noise Levels

NM1 Hubberstone - Wednesday 27 July 2022




Background Noise Levels

NM1 Hubberstone - Thursday 28 July 2022




Background Noise Levels

NM2 Lone Pine - Friday 22 July 2022




Background Noise Levels

NM2 Lone Pine - Saturday 23 July 2022




Background Noise Levels

NM2 Lone Pine - Sunday 24 July 2022




Background Noise Levels

NM2 Lone Pine - Monday 25 July 2022




Background Noise Levels

NM2 Lone Pine - Tuesday 26 July 2022




Background Noise Levels

NM2 Lone Pine - Wednesday 27 July 2022




Background Noise Levels

NM2 Lone Pine - Thursday 28 July 2022




Background Noise Levels

NM3 Milpose - Friday 22 July 2022




Background Noise Levels

NM3 Milpose - Saturday 23 July 2022




Background Noise Levels

NM3 Milpose - Sunday 24 July 2022




Background Noise Levels

NM3 Milpose - Monday 25 July 2022




Background Noise Levels

NM3 Milpose - Tuesday 26 July 2022




Background Noise Levels

NM3 Milpose - Wednesday 27 July 2022




Background Noise Levels

NM3 Milpose - Thursday 28 July 2022




Background Noise Levels

NM4 Hillview - Friday 22 July 2022




Background Noise Levels

NM4 Hillview - Saturday 23 July 2022




Background Noise Levels

NM4 Hillview - Sunday 24 July 2022




Background Noise Levels

NM4 Hillview - Monday 25 July 2022




Background Noise Levels

NM4 Hillview - Tuesday 26 July 2022




Background Noise Levels

NM4 Hillview - Wednesday 27 July 2022



Background Noise Levels

NM4 Hillview - Thursday 28 July 2022



Muller Acoustic Consulting Pty Ltd

PO Box 678, Kotara NSW 2289

ABN: 36 602 225 132

Ph: +61 2 4920 1833

www.mulleracoustic.com

